


Regional anaesthesia

Multiple true or false questions

Question 1



The sonoanatomy image above shows a particular regional anaesthesia technique. The technique is essential for anaesthesia and/or analgesia for surgeries involving the:

- a. forearm
- b. shoulder joint
- c. clavicle
- d. carotid
- e. thyroid

Question 2



The sonoanatomy image above shows a particular regional anaesthesia technique that has been proven effective for analgesia for the following surgeries:

- a. thoracotomy
- b. open heart surgery
- c. laparoscopic cholecystectomy
- d. open inguinal hernial repair
- e. lumbar spine surgery

Question 3

The point-of-care ultrasound image shown above is important in the diagnosis of a complication involving regional blocks. The complication is likely to happen in:

- a. interscalene block
- b. superficial cervical plexus block
- c. costoclavicular block
- d. supraclavicular block
- e. axillary block

Short Answer Question**Question 4**


List the methods to improve block needle visibility during the performance of ultrasound-guided regional anaesthesia.

Terms and conditions

1. The quiz is a competition open to all members of good standing of the MSA and/ or CoA .
2. The quiz contains three multiple true or false (MTF) questions and one short answer question. Each MTF has five answers identified as a, b, c, d, e, which are either 'true' or 'false'.
3. Please provide your answers on a separate PDF document with your name, designation, place of work, and contact details and send as an attachment to hello@myja.pub by August 31, 2022.
4. The maximum number of entries is one per member.
5. The correct answers and the winners will be announced in MyJA's next issue.
6. Prizes in the form of RM200 vouchers will be given to the top five participants with the highest marks.
7. The Editorial Board reserves the right to amend the terms and conditions of this competition.
8. The Editorial Board is responsible for decisions on all matters concerning this competition; these decisions will be final.



THINK ANAESTHESIA THINK ASPEN



Ultiva
Remifentanyl hydrochloride

Diprivan
propofol

 **Naropin**
(ropivacaine HCl)

Marcain
bupivacaine hydrochloride

Xylocaine
lidocaine hydrochloride



MIVACRON
mivacurium chloride

 **NIMBEX**
cisatracurium besylate

Tracrium
atracurium besylate